

INDEX MAPS.

T. 15 N. R. 9 E. 2nd Mer.

	328		328		328		327		327		327	
330	6	351	5	347	4	343	3	339	2	335	1	326
	353		350		346		342		338		334	
330	7	350	8	346	9	342	10	338	11	334	12	326
	352		350		345		341		337		333	
330	18	349	17	345	16	341	15	337	14	333	13	326
	352		349		345		341		337		333	
329	19	348	20	344	21	340	22	336	23	332	24	325
	352		348		344		340		336		332	
329	30	348	29	344	28	340	27	336	26	332	25	325
	351		347		343		339		335		331	
329	31	347	32	343	33	339	34	335	35	331	36	325
	324		324		324		323		323		323	

T. 16 N. R. 9 E. 2nd Mer.

360	6	386	5	380	4	375	3	370	2	366	1	358
	385		385		379		375		370		365	
360	7	385	8	379	9	375	10	370	11	365	12	358
	384		384		379		374		369		364	
360	18	384	17	378	16	374	15	369	14	364	13	358
	383		383		378		373		368		363	
359	19	382	20	378	21	373	22	368	23	363	24	357
	382		382		378		372		367		362	
359	30	381	29	377	28	372	27	367	26	362	25	357
	381		381		376		371		366		361	
359	31	380	32	376	33	371	34	366	35	361	36	357
	356		356		356		355		355		355	

The figures on the lines refer to the page.

Township N. 16 North, Range N. 9 East 2. Mer. Indiana 355
Ch. 4.

South Boundary.

Nest On S. boundary of Sec. 36

29.71 a Beech 12 in. dia.

40.00 Set of Sec. post, from which
an Ironwood 8 in. dia. bray S 80 E 10 lbs. dist. of
a Beech 8 " " " N 70 W 19 " "

61.97 a Do. 18 "

80.00 Set post Cor. to Sec. 35 of 36, from which
an Elm 16 in. dia. bray N 72 E 26 lbs. dist. of
a Do. 13 " " " S 34 W 16 " "
Over good farming land, timber Beech,
Sugar, Ash &c. Underg. Spruce.

Nest On S. boundary of Sec. 35

17.50 a Beech 12 in. dia.

40.00 Set of Sec. post, from which
a W. Oak 8 in. dia. bray S 70 E 12 lbs. dist. of
a Buckeye 9 " " " S 41 W 10 " "

49.74 an Oak 40 " "

80.00 Set post Cor. to Sec. 34 of 35, from which
an Ash 20 in. dia. bray S 45 W 6 lbs. dist. of
an Elm 18 " " " S 74 E 9 " "
Over level land, timber Beech, Oak &c.

Nest On S. boundary of Sec. 34

7.24 a Beech 18 in. dia.

10.20 a Brook Elm. wide C. & A. N.

40.00 Set of Sec. post, from which
a Hickory 12 in. dia. bray S 49 E 19 lbs. dist. of
a Do. 13 " " " N 74 W 24 " "

66.34 a Beech 14 " "

80.00 Set post Cor. to Sec. 33 of 34, from which
a Sugar 12 in. dia. bray S 67 E 4 lbs. dist. of
a Do. 13 " " " S 70 W 31 " "
Over rolling land, timber Sugar, Beech &c.

West R9E, 2^d Mer. Indianach²th

West On S. boundary of Sec. 33

7.50 a creek 100 th. wide C.P.S.W.

19.30 a Sugar 18 in dia

36.00 a Creek 50 th. wide C.P.S.

40.00 let of Sec. post from which
a Hickory 9 in. dia. bay N 70 E 9 th. dist. of
a Buckeye 8 " " " N 43 W 9 " "

66.08 an Ash 18 " "

80.00 let post Cor to Sec. 32 & 33 from which
an Ironw. 7 in. dia. bay N 44 E 24 th. dist. of
a Sugar 11 " " " N 79 W 24 "Over level rich land, timber Beech, Sugar,
Ash, undergth Spruce &c.

West On S. boundary of Sec. 32

25.40 a Sugar 13 in. dia.

31.60 a Brook 7 th. wide C.P.S.

40.00 let of Sec. post from which
a Sugar 18 in. dia. bay N 57 E 25 th. dist. of
a Co. 24 " " " N 47 E 19 " "

47.96 a Sugar 22 " "

80.00 let post Cor to Sec. 31 & 32 from which
a Sugar 10 in. dia. bay N 11 E 16 th. dist. of
a Dogwood 6 " " " N 38 W 8 " "
Sand timber &c. same as on last mile

West On S. boundary of Sec. 31

22.70 a Sugar 18 in. dia.

23.00 a creek 30 th. wide C.P.S.

40.00 let of Sec. post from which
a Beech 18 in. dia. bay N 24 E 7 th. dist. of
a Hickory 18 " " " N 89 W 23 " "71.66 Intersected the Township Corner
July 21st 1819

East Boundary

var. 7th 00 E.

357

Mt. N. E. 2nd Mer. Indiana

ch. 1/4

North On E. boundary of Sec. 36

25.90 at Beech 18 mi. dist.

40.00 at gr. Sec. post, from which
a Beech - in. dist. by N 1 E 50 1/2 mi. dist. of
a do. 12 " " " N 9 E 28 " "

46.50 a Creek 40 mi. wide Course W.

58.50 a Beech 14 mi. dist.

70.10 at Brook 4 mi. wide Course W.

80.00 at post Cor. to Sec. 25 & 36, from which
a Beech 12 mi. dist. by N 44 E 28 1/2 mi. dist. of
a do. 14 " " " N 17 W 22 " "

Over good farming land, timber Beech,
Sugar, Poplar &c. running Spruce

North On E. boundary of Sec. 25

13.53 at Beech 18 mi. dist.

17.50 a Brook 3 mi. wide Course W.

40.00 at gr. Sec. post, from which
a Beech 7 mi. dist. by South 14 mi. dist. of
a do. 6 " " " N 42 E 16 " "

53.10 another 30 " "

80.00 at post Cor. to Sec. 24 & 25, from which
a Beech 22 mi. dist. by N 25 W 25 1/2 mi. dist. of
a do. 10 " " " N 35 E 12 " "

Sand timber &c. same as on the last mile

North On E. boundary of Sec. 24

32.85 a Beech 20 mi. dist.

40.00 at gr. Sec. post, from which
a Sugar 8 mi. dist. by N 27 E 7 1/2 mi. dist. of
a Beech 22 " " " N 6 E 9 " "

80.00 at post Cor. to Sec. 13 & 24, from which
a Beech 10 mi. dist. by N 31 E 22 1/2 mi. dist. of
a do. 11 " " " N 40 W 13 " "

Sand timber &c. same as on last mile

July 20th 1879

West N 9 E, 2^d Mer. IndianaCh. 2th

North On E. boundary of Sec. 13

25.50 at Brook 4th, wide Course W.

33.97 a Beech 16 m. dist.

39.74 at Brook 4th, wide Course W.40.00 let q. Sec. post, from which
a Beech 20 m. dist. (bray N 77° 88' 44" dist. of
at Hornbeam — " " " 162° 649 " "

53.85 an Ash 18 " "

60.00 at Brook 3th, wide Cr. W.80.00 let post Cor. to Sec. 12 & 13, from which
a Sugar 18 m. dist. (bray N 89° 27' 44" dist. of
a Beech 12 " " " N 69° 15 " "
Over rolling land, timber Ash, Beech &c.

North On E. boundary of Sec. 12

2.70 at Brook 3th, wide Course W.40.00 let q. Sec. post, from which
a Beech 12 m. dist. (bray N 44° 19' 44" dist. of
a Do. 8 " " " N 24° 15 " "

52.88 a Sugar 20 " "

68.00 a Creek 100th, wide S. W.80.00 let post Cor. to Sec. 1 & 12, from which
a Beech 13 m. dist. (bray N 47° 27' 44" dist. of
a Do. 14 " " " N 75° 16 " "
Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 1

5.00 an Elm 40 m. dist.

40.00 let q. Sec. post, from which
a Beech 20 m. dist. (bray N 71° 16' 44" dist. of
an Ash 12 " " " N 9° 6 " "43.00 a Creek 50th, wide Cr. S. E.

64.10 a Brook 4 " " " S. W.

69.30 intersected the line of Correction 17 ch. 84th
N. of Cor. to Sec. 35 & 36, N 71° 12' 9 E, let post
at the intersection Cor. to Township 16,

West 129 E. 2nd Mer. Indiana 359
 ch. lky North Range 9 of 10 East, from which
 a Beech 12 in. dia. - bran N 57 W 14 lks. dist. of
 a Do. 7 " " " N 46 E 5 " "
 (description of land &c. omitted)

West Boundary var. 7° 00' E.
 North On E. boundary of Sec. 36, N 16 S, 128 E.
 16.83 a Beech 30 in. dia.
 40.00 Let of Sec. post, from which
 a Beech 18 in. dia. - bran N 67 E 21 lks. dist. of
 a Do. 6 " " " N 67 W 19 " "
 67.20 a Sugar 20 " "
 80.00 Let post cor. to Sec. 25 of 36, from which
 a Spruce 18 in. dia. - bran N 38 E 09 lks. dist. of
 an Elm 40 " " " N 23 W 22 " "
 Level wet land, timber Beech, Sugar, Ash
 Elm, Spruce, Oak, Hickory &c. and g^r. Spruce

North On E. boundary of Sec. 25, N 16 S, 128 E.
 18.20 a Beech 20 in. dia.
 40.00 Let of Sec. post, from which
 a W. Oak 36 in. dia. - bran N 60 W 48 lks. dist. of
 a B. Oak 20 " " " N 26 E 40 " "
 59.60 a W. Oak 48 " "
 80.00 Let post cor. to Sec. 24 of 25, from which
 an Ash 12 in. dia. - bran N 79 E 31 lks. dist. of
 a Do. 8 " " " N 65 W 31 " "
 Level 2^d rate land, timber Beech, Sugar, ash,
 Elm, &c. and g^r. Spruce

North On E. boundary of Sec. 24, N 16 S, 128 E.
 19.90 a Poplar 48 in. dia.
 40.00 Let of Sec. post, from which
 a Beech 8 in. dia. - bran N 22 W 24 lks. dist. of
 a Do. 18 " " " N 80 E 4 " "
 58.05 a B. Oak 25 " "

T6 N R9 E. 2nd Mer Indiana

ch. 1/4
 80.00 Set post Cor. to Sec. 13 of 24, from which
 an Ash 18 m. dist. by a S 35 E 24 lks. dist. of
 an Elm. 48 " " " N 33 E 13 " "
 Level wet land suitable for meadow
 Elm, Oak, Beech, Oak, Hickory &c.
 ending in Spruce &c. Friday July 23. 1819

North On E. boundary of Sec. 13, T6 N. R28 E
 30.20 a W. Oak 27 m. dist.
 40.00 Set gr. Sec. post, from which
 a Beech 10 m. dist. by a S 54 E 21 lks. dist. of
 a Do. 12 " " " N 54 W 21 " "
 65.74 a W. Oak 24 " "
 80.00 Set post Cor. to Sec. 12 of 13, from which
 an Elm 16 m. dist. by a S 76 W 16 lks. dist. of
 a Hickory 6 " " " N 87 E 28 " "
 Sand timber &c. same as on last mile

North On E. boundary of Sec. 12, T6 N. R28 E
 25.47 a Beech 12 m. dist.
 40.00 Set gr. Sec. post, from which
 an Ash 8 m. dist. by a S 75 E 01 lks. dist. of
 a Beech 10 " " " N 75 W 5 " "
 52.97 a W. Oak 30 " "
 80.00 Set post Cor. to Sec. 1 of 12, from which
 a Beech 18 m. dist. by a S 53 E 22 lks. dist. of
 a Do. 9 " " " S 53 W 9 " "
 Sand timber &c. same as on last mile

North On E. boundary of Sec. 1, T6 N. R28 E.
 5.69 a Lycamore 60 m. dist.
 40.00 Set gr. Sec. post, from which
 a Poplar 30 m. dist. by a S 25 W 11 lks. dist. of
 a Beech 10 " " " N 33 E 10 " "
 44.39 an Elm 18 " "
 66.93 intersected the line of Correction 794 lks. W.

361

West Rge. 2^d. Mer. Indiana
Ch. 1st

of Cor. to Sec. 35 & 36, T. 17 N. R. 8 E. Set post
at intersection Cor. to Township 16 North,
Range 8 & 9 East, from which
a W. Oak 40 in. dia. bears N 69° 23' E. dist. 4
a Beech 12 " " " S 46° E 7 "
This mile level 2^d. rate, timber Beech, Sugar
Oak, Elm, Lym, Oak, Hickory &c. underg
Spruce &c. July 22^d 1819

Surveyed by
John M. Donald,
Deputy Surveyor Com.

Subdivision. cor. 6. 45. E.

North Between Sec. 35 & 36

18.64 a Beech 26 in. dia.

35.00 the channel of a brook 6 wide course W.

40.00 Set of. Sec. post. from which
a Beech 8 in. dia. bears N 49° E 13' E. dist. 4
a Do. 20 " " " S 63° N 23 " "

60.84 an Elm 18 " "

63.50 the channel of a stream 12 lks. wide course W. S. W.

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which
a Sugar 17 in. dia. bears N 62° E 27' E. dist. 4
a Buckeye 14 " " " S 27° N 18 " "
Land level rich 2^d. rate - timber Beech Gray Ash &
Blue Ash Sugar Elm Buckeye Walnut &c. underg
Spruce Ash &c.

East On Random between Sec. 25 & 36

37.50 Enter Bottom Land

40.00 Set temp. of. Sec. post.

45.50 a stream 35 lks. wide course N. W.

48.70 a Brook 6 " " " N. N. W.

82.22 Intersected the E. boundary 54 lks. S. of post.
Part level & Part broken 2^d. rate timber Ash, Beech,
Poplar W. Ash Hickory Elm Buckeye W. Oak

362

St. Regis, 2^d Mer. Indiana

ch. 2. 67

Undergrowth Spice Ash Sugar &c.

West Corrected between Sect. 25 & 26
 20.14 a Sugar 14 in. dia.
 41.11 Set of Sec. post. at average dist. from which
 a Hickory 5 in. dia. bears N 47 W 5 lb. dist. 4
 a W. Oak 15 " " " S 4 W 28 " "
 60.02 a Hickory 24 " "
 82.22 to Section Corner

North Between Sect. 25 & 26

16.55 a B. Walnut 26 in. dia.
 17.01 a Spring branch course N. W.
 25.00 Enter bottom Land
 40.00 Set of Sec. post. from which
 an Elm 8 in. dia. bears N 53 E 19 lb. dist. 4
 a B. Ash 8 " " " S 85 W 15 " "
 42.00 a Stream 40 lb. wide course S. S. W. offset N. 100 lbs.
 46.00 Reduced offset & fell in line, ferry wet Land -
 54.00 Cut March -
 57.42 a Blue Ash 28 in. dia.
 59.50 left bottom Land -
 80.00 Set post Cor. to Sect. 23 24, 25 & 26, from which
 a Sugar 5 in. dia. bears N 75 W 3 lb. dist. 4
 a Ho. 15 " " " S 25 E 12 " "
 Part level & Part broken 2nd rate timber Beech
 Sugar, Poplar, W. Oak, Walnut &c. undergth Spice,
 Ash, Hickory Buckeye, &c.

East On Prairie between Sect. 24 & 25

27.58 a dry brook 6 lb. wide course South
 40.00 Set temp. of Sec. post.
 44.00 the Channel of a brook 8 lb. wide course S.
 82.34 Intersected the E. boundary 144 lb. S. of post.
 rolling rich 2nd rate Land timber Blue, & Gray
 Ash, Poplar, Beech, Sugar, Elm Red Oak Hickory

363

West - Sec. 2^d. Mer. Indiana

ch. 1st Undergrowth Spice Ash Buckeye Hornbeam &c.

West Corrected between Sec. 2^d & 25
 19.15 a Beech 34 in. dia.
 41.17 Set of Sec. post, at average dist. from which
 an Elm 14 in. dia. bears N 63 W 11 lhp. dist. 4
 a Sugar 15 " " " S 58 E 27 " "
 66.56 a No. 23 " "
 82.34 to Section Corner.

North Between Sec. 23 & 24
 21.62 an Elm 28 in. dia.
 40.00 Set of Sec. post, from which (a dry branch course N. N. W.)
 a Sugar 14 in. dia. bears S 63 W 4 lhp. dist. 4
 a No. 5 " " " S 68 E 17 " "
 43.00 a dry brook 4 lhp. wide course W.
 59.72 a Beech 18 in. dia.
 78.50 a Channel of a brook 8 lhp. wide course S. W.
 80.00 Set post cor. to Sec. 13, 14, 23 & 24, from which
 a Beech 18 in. dia. bears S 48 W 4 lhp. dist. 4
 a Buckeye 12 " " " N 37 E 8 " "
 Part level and part Broken 2^d. rate Land timber
 Ash, Poplar, W. Oak, Beech, Elm, Walnut, Sugar, &c.
 Undergrowth Spice, Ash, Buckeye &c.

East On Prandon between Sec. 13 & 24
 12.50 the Channel of a Stream 8 lhp. wide course S. W.
 40.00 Set temp. of Sec. post.
 53.50 a Pond offset 400 lhp. N.
 60.00 Reduced offset & fell in to line -
 82.45 Intersected the E. boundary 263 lhp. S. of post.
 Part rolling and Part broken 2^d. rate timber &c.
 Same as on last mile -

West Corrected between Sec. 13 & 24
 17.53 a Beech 18 in. dia.

364

West R9 E. 2^d. Mer. Indiana

ch. lks

- 141.22 Set q. Sec. post at average dist. from which
a Beech 22 in. dia. bears S 26° W 46 lks. dist. &
a Wo. 40 " " " N 55° E 28 " "
- 64.28 a Beech 20 " "
- 82.45 To Section Corner. August 11th 1820

North Between Secs. 13 & 14

- 19.00 a Beech 24 in. dia.
- 40.00 Set q. Sec. post, from which
a Beech 40 in. dia. bears N 12° E 25 lks. dist. &
a Wo. 19 " " " S 57° W 16 " "
- 56.18 a Beech 18 " "
- 62.00 Ascend 25 feet and Enter Bottom Land
- 80.00 Set post on the E. bank of a stream 90 lks. wide.
Cor. to Secs. 11, 12, 13 & 14, from which
a Sycamore 16 in. dia. bears N 57° W 3 lks. dist. &
a Box Elder 5 " " " S 58° E 8 " "
- Level 2nd rate Land timber &c. Same as on the
last few Miles

East On Pradion between Secs. 12 & 13

- 7.75 a Bold Spring branch 6 lks. wide course N. N. W.
- 23.55 a the same Brook 6 " " " S. W.
- 24.50 a " Wo. " 6 " " " N. N. W.
- 24.90 a " same " 6 " " " W. S. W.
- 25.20 a " same " 6 " " " N. N. W.
- 26.00 Cut N. bend of same
- 40.00 after various Cropping of the same Set temp. q. Sec. post.
- 82.78 Intersected the E. boundary 342 lks. S. of post.
Land broken 2^d rate timber Beech, Ash, Sugar,
Elm Red Oak Poplar &c. undergrowth Spice,
Ash, Buckeye, Hornbeam, &c.

West Corrected between Secs. 12 & 13.

- 24.80 a Beech 22 in. dia.

365

West No. 2, Mer. Indiana

W.P. 1/4

- 41.39 Set qf. Sec. post. at average dist. from which
a Sugar 5 in. dia. bears S 48 W 11 lb. dist. &
a No. 13 " " " N 1 E 3 " "
65.12 a Sugar 20 " "
82.78 to Section Corner

North Between Sect. 11 & 12

- 02.00 a Stream 100 lbs. wide Course S. S. W.
18.10 a No. 20 " " " S. E.
21.54 a Hackberry 35 in. dia.
35.00 ascend a bench 30 feet high diagonally
40.00 Set qf. Sec. post. from which
a Red Oak 12 in. dia. bears N 42 E 11 lb. dist. &
a Buckeye 4 " " " S 35 W 8 " "
48.05 a Stream 15 lbs. wide Course S. S. W.
50.50 Cut the N. bank of the same Stream
53.00 the same Stream Course S. S. E.
65.25 a Beech 18 in. dia.
80.00 Set post Cor. to Sect. 1, 2, 11 & 12, from which
a Beech 17 in. dia. bears S 62 W 14 lb. dist. &
a Buckeye 17 " " " N 47 E 48 " "
mostly level first rate & 2nd rate Land timber
&c. same as last mile -

East On Random between Sect. 1 & 12

- 40.00 Set temp. qf. Sec. post.
46.00 Enter a Marsh
57.50 left the Marsh & Enter timber Land
82.70 Intersected the E. boundary 393 lbs. S. of post.
first 1/2 mile level rich farming Land 2nd rate
& 3rd rate - last 1/2 mile level wet farming Land
timber &c. same last mile -

West Connected between Sect. 1 & 12.

- 22.20 an Elm 20 in. dia.
41.35 Set qf. Sec. post. at average dist. from which

366

W. N. R. & Co. 2nd Mer. Indiana

Cherry

a Hickory 16 in. dia. bears S 43° W 6 lks. dist. &
 a Beech 14 " " " N 27° E 26 " "
 65.00 a Gray Ash 4 4 " "
 82.70 To Section Corner

North Between Sect. 1 & 2

21.52 a Gray Ash 22 in. dia.

40.00 Set of Sec. post, from which

a Beech 34 in. dia. bears N 35° W 13 lks. dist. &

a Do. 20 " " " S 80° E 29 " "

59.37 a Beech 26 " "

75.34 Intersected the N. boundary. Set post at the
 Intersection, Cor. to Sect. 1 & 2, from which

a Beech 18 in. dia. bears S 41° W 19 lks. dist. &

a Do. 16 " " " S 67° E 15 " "

Level 2nd rate land timber Blue & Gray Ash.
 Beech, Sugar, Hickory &c. undergrowth Spruce
 Ash Sugar Hornbeam Ironwood &c.

August 12th 1820.

North Between Sect. 34 & 35

22.32 a Sugar 15 in. dia.

40.00 Set of Sec. post, from which

a Beech 10 in. dia. bears S 58° E 28 lks. dist. &

a Sugar 7 " " " N 55° W 11 " "

58.60 a Red Oak 4 4 " "

79.00 a Brook 10 lks. wide Course N. N. W.

80.00 Set post Cor. to Sect. 26, 27, 34 & 35, from which

a Beech 12 in. dia. bears N 62° W 7 lks. dist. &

a Dogwood 4 " " " S 84° E 13 " "

first 1/2 mile level last 1/2 mile broken 2nd rate
 Land timber &c. Same as last mile

East On Prandam between Sect. 26 & 35

37.25 a Small Spring branch Course N.

38.00 a Spring Course N. W.

No. 129 E. 2nd Mer. Indiana 367

Ch. 2nd 1/4

- 40.00 Set temp. of Sec. post.
- 47.20 a Spring course N.
- 59.50 a Spring " N. W.
- 81.04 Intersected the N. & S. line 52 lbs. N. of post.
Land broken 2nd rate timber &c. Same as on
the last few mile

West Corrected between Sect. 26 & 35

- 16.30 a Red Oak 28 in dia.
- 40.52 Set of Sec. post, at average dist. from which
a Sugar 8 in. dia. bears N 44 W 17 lbs. dist. &
a W. 6 " " " S 25 E 7 " "
- 60.02 a Sugar 18 " "
- 81.04 to Section Corner

North Between Sect. 26 & 27

- 19.30 a Beech 27 in. dia.
- 19.80 a Stream 35 lbs. wide course N. S. W.
- 30.00 a Beautiful Spring branch course W.
- 40.00 Set of Sec. post, from which
a Beech 20 in. dia. bears N 15 E 18 lbs. dist. &
a W. 12 " " " N 88 W 16 " "
- 44.50 Enter a large Marsh abounding with many large springs
- 48.50 left marsh and Enter timber Land
- 52.00 Enter Marsh & Springs
- 55.50 left Marsh & Enter dry Land with timber &c.
- 60.28 a Sugar 14 in. dia.
- 76.00 Enter Marsh with cold Springs all bearing W.
- 79.00 left Marsh and Entered timber land
- 80.00 Set post Cor. to Sect. 22, 23, 26, & 27, from which
a Beech 13 in. dia. bears N 75 E 11 lbs. dist. &
a W. 6 " " " S 72 W 11 " "
Level 2nd & 3rd rate land timber &c. Same
as the last mile

East On Random between Sect. 23 & 26

St. R. E. D. Mer. Indiana

Ch. Lk.

- 40.00 Set temp. of. Sec. post.
 80.92 Intersected the N. & S. line 84 lks. N. of post.
 Level rich farming Land timber Sugar, Beech,
 Elm Blue & Gray Ash, Hickory Cherry, Walnut.
 &c. Undergrowth Spice Ash, Dogwood, Hickory

West Connected between Sect. 23 & 26

- 23.12 a Beech 28 in. dia.
 40.46 Set of. Sec. post at average dist. from which
 an Elm 24 in. dia. bears N 27 W 12 lks. dist. &
 a Buckeye 4 " " " S 23 E 6 " "
 60.18 a Blue Ash 20 " "
 80.92 to Section Corner

North Between Sect. 22 & 23

- 17.50 a Bold Spring branch 10 lks. wide course W.
 24.32 a Beech 19 in. dia.
 24.80 a Spring branch Course S. W.
 40.00 Set of. Sec. post, from which
 a Beech 28 in. dia. bears N 24 W 13 lks. dist. &
 a Gray Ash 10 " " " N 74 E 16 " "
 40.50 a Spring branch course N. W.
 42.50 a brook 10 lks. wide Course N. W.
 60.88 a Beech 18 in. dia.
 80.00 Set post Cor. to Sect. 14, 15, 22 & 23, from which
 a Buckeye 12 in. dia. bears N 45 E 15 lks. dist. &
 a Beech 10 " " " S 84 W 15 " "
 Mostly level 2nd. rate Land - timber &c. Same
 as on the last mile

East On Prandon between Sect. 14 & 23.

- 40.00 Set temp. of. Sec. post.
 80.63 Intersected the N. & S. line 93 lks. N. of post.
 Level rich 2nd. rate Land timber &c. Same
 as on the last few miles. August 14th 1820

Met R9 E. 2nd Mer. Indiana 369

ch. 2nd

West Corrected between Sect. 14 & 23.

20.88 a Beech 14 in. dia.

40.31 Set q. Sec. post, at average dist. from which
a Beech 16 in. dia. bears N 62 W 43 lbs. dist. &

a No. 19 " " " S 49 E 10 " "

60.31 a Beech 17 " "

80.63 To Section Corner

North Between Sect. 14 & 15

22.28 a Sycamore 28 in. dia.

22.85 a stream 100 lbs. wide Course S. W.

40.00 Set q. Sec. post, from which

a Beech 24 in. dia. bears N 19 W 13 lbs. dist. &

a No. 17 " " " S 21 E 28 " "

63.47 a Gray Ash 22 in. dia.

80.00 Set post Cor. To Sect. 10, 11, 14 & 15, from which

a Beech 17 in. dia. bears N 7 W 10 lbs. dist. &

a Sugar 22 " " " S 56 E 53 " "

the first 60 chains level first rate the balance
broken 2nd rate - timber same as last mile

East On Prandom between Sect. 11 & 14

18.62 a Spring branch Course E. S. E.

40.00 Set temp. q. Sec. post.

43.00 the Channel of a brook 10 lbs. wide Course S. E.

55.00 Enter a Marsh

61.50 left the Marsh & Enter timber Land

78.96 a stream 100 lbs. wide course S. S. E.

80.47 Intersected the N. & S. line 58 lbs. N. of post.

Level first and 2nd rate land - timber &c.

Same as the last mile.

West Corrected between Sect. 11 & 14.

17.63 a Beech 22 in. dia.

40.23 Set q. Sec. post, at average dist. from which

a Cherry 6 in. dia. bears S 46 W 8 lbs. dist. &

370

West N 9 E 2^d Mer. Indianach. 4th

- a Beech 17 in. dia. bears N 69 E 14 lks. dist. &
 56.42 a No. 20 " "
 80.47 to Section Corner

North Between Sect. 10 & 11

- 21.57 a Sugar 18 in. dia.
 26.20 a Channel of a brook 8 lks. wide Course S. E.
 40.00 Set of. Sec. post. from which
 a Lyrn 24 in. dia. bears N 35 E 23 lks. dist. &
 a Beech 6 " " " N 70 W 14 " "
 62.84 a Sugar 23 " "
 63.50 the Channel of a brook 8 lks. wide Course E.
 80.00 Set post cor. to Sect. 2, 3, 10 & 11, from which
 a Beech 15 in. dia. bears N 45 E 7 lks. dist. &
 a No. 7 " " " S 72 W 10 " "
 Part level, Part broken & Part rolling 2^d rate
 timber. &c. Same as last mile -

East An Prandom between Sect. 2 & 11

- 40.00 Set temp. of. Sec. post.
 61.43 a brook 8 lks. wide Course E. S. E.
 64.50 a Channel of a Brook 8 lks. wide Course S. E.
 80.23 Intersected the N. & S. line 41 lks. N. of post.
 Part level & Part broken 2^d rate land timber
 &c. Same as the previous mile -

West Connected between Sect. 2 & 11.

- 23.75 an Elm 21 in. dia.
 40.11 Set of. Sec. post. at average dist. from which
 a Sugar 5 in. dia. bears N 60 E 14 lks. dist. &
 a Beech 17 " " " S 40 W 28 " "
 59.98 a Gray Ash 22 in. dia.
 80.23 to Section Corner

North Between Sect. 2 & 3.

- 17.42 a Hickory 18 in. dia.

West R9 E. 2^d Mer. Indiana

371

ch. lks

- 40.00 Set q. Sec. post, from which
a Gray Ash 14 in. dia. bears N 70 W 11 lks. dist. &
an Elm 18 " " " S 53 E 15 " "
- 55.38 a Hickory 15 " "
- 74.94 Intersected the N. boundary, Set post at
Intersection Cor. to Sec. 2 & 3, from which
a Hornbeam 5 in. dia. bears S 18 W 22 lks. dist. &
a Gray Ash 24 " " " S 53 E 20 " "
Level 2^d rate land - timber Beech lofty
Poplar Hickory Sugar W. Oak Ash Linden &c.
undergrowth Spr. Ash. August 15th 1820.

North Between Sec. 33 & 34

- 1.60 a Stream 100 lks. wide Course S. S. W.
- 10.50 a Do. 100 " " " S. S. E.
- 17.60 a Same 100 " " " S. S. W.
- 21.58 a Sugar 14 in. dia.
- 24.00 Cut a W. bend of the Same Stream -
- 40.00 Set q. Sec. post, from which
a Beech 7 in. dia. bears N 58 W 25 lks. dist. &
an Elm 36 " " " N 78 E 29 " "
- 58.28 a Beech 15 " "
- 80.00 Set post Cor. to Sec. 27, 28, 33 & 34 from which
a B. Walnut 30 in. dia. bears N 77 E 34 lks. dist. &
a Sugar 22 " " " S 37 W 33 " "
Same level & first rate timber &c. Same
as on the last Mile

East On Prandom between Sec. 27 & 34

- 6.25 Cut N. W. Corner of a Cabin, offset 50 lks. N.
- 7.00 Reduced offset and fell in to line
- 10.00 Descend 25 feet & Enter a Marsh or bayou
a Spring branch Course S. & Enter bottom Land
- 12.50 a Stream 100 lks. wide Course S. W.
- 21.50 a bayou 50 lks. " " S. W.
- 40.00 Set temp. q. Sec. post.

372 *West R9 E. 2^d Mer. Indiana*
ch. 116

79.50 a Stream 10 lks. wide Course N. W.
 80.45 Intersected the N & S. line 15 lks. N. of post.
 Level 2^d rate Land timber Ash, Sugar, Elm,
 Beech, Walnut, Lyrar, &c. undergrowth
 Spice, Ash, Buckeye &c.

West Corrected between Sec. 27 & 34

16.93 a Beech 30 in. dia.
 40.22 Set of. Sec. post. at average dist. from which
 a Buckeye 12 in. dia. bears N 23 W 17 lks. dist. &
 a Sugar 5 " " " S 30 E 16 " "
 62.87 at Hackberry 10 " "
 80.45 to Section Corner

North Between Sec. 27 & 28

24.25 a Spring branch Course S. W.
 24.46 a W. Oak 20 in. dia.
 40.00 Set of. Sec. post. from which
 an Ironwood 5 in. dia. bears N 53 W 5 lks. dist. &
 a Hickory 10 " " " S 84 E 27 " "
 58.00 a W. Oak 24 " "
 80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
 a Beech 13 in. dia. bears N 66 E 25 lks. dist. &
 a Sugar 5 " " " S 66 W 21 " "
 Land level 2^d rate timber Blue & B. Ash
 Sugar, Walnut, Beech, &c. undergrowth Spice,
 Ash Hickory Buckeye &c.

East On Prandom between Sec. 22 & 27.

25.47 a Spring Course S. E.
 35.00 a Lake " E. N. E.
 37.00 a Lake " E. S. E.
 39.00 a Stream 100 lks. wide Course S. W.
 40.00 Set temp. of. Sec. post.
 52.00 Enter a Marsh
 54.00 leave the Marsh and Enter timber Land.

West R9 E. 2nd Mer. Indiana 373

Chalk

- 61.25 a bold Spring branch 8 lks. wide Course N. S. W.
 65.25 a Stream 8 lks. wide Course N. N. W.
 80.37 Intersected the N. & S. line 53 lks. N. of post.
 Part level & Part broken 2nd rate Land timber
 Same as last mile

West Corrected between Sec. 22 & 27

- 15.08 a Beech 12 in. dia.
 40.18 Set of Sec. post. at average dist. from which
 an Elm 19 in. dia. bears N 38 W 15 lks. dist. &
 a No. 13 " " " S 41 E 13 " "
 60.81 a Blue Ash 22 in. dia.
 80.37 to Section Corner

North Between Sec. 21 & 22.

- 26.78 a Beech 20 in. dia.
 40.00 Set of Sec. post. from which
 a Beech 8 in. dia. bears N 45 E 10 lks. dist. &
 a No. 13 " " " N 58 W 19 " "
 52.82 a Spring branch Course E.
 61.94 a Sugar 20 in. dia.
 80.00 Set post Cor. To Sec. 15, 16, 21 & 22, from which
 a Sugar 20 in. dia. bears N 27 E 5 lks. dist. &
 a Gray Ash 26 " " " S 26 W 8 " "
 Part level & Part broken 2nd rate Land timber.
 &c. Same as on the last mile

East On Random between Sec. 15 & 22.

- 29.20 a Spring Course N. E.
 36.75 the Same " " E. N. E.
 40.00 Set temp. of Sec. post.
 50.50 Enter fairly Land
 55.00 leave the Marsh Enter timber Land
 62.60 a Stream 90 lks. wide Course S. S. W.
 64.50 a No. 90 " " " N. N. W.
 69.50 a Bayou 40 " " " S. W.

374 West R9 E. 2nd Mer Indiana
ch. 6th

75.20 a Stream Course S. W.

80.88 Intersected the N. & S. line 68 lbs. N. of post.
Part level and Part Broken 2nd rate Land-
timber &c. Same as on the last mile
August 16th 1820.

West Corrected between Sec. 15 & 22

20.29 a Black Ash 18 in. dia.

40.44 Set of. Sec. post, at average dist. from which
a Sugar 12 in. dia. bears S 29° W 5 lbs. dist. &
a Beech 17 " " " N 67° E 36 " "

56.64 a Sugar 25 " "

80.88 to Section Corner

North Between Sec. 15 & 16

21.32 an Elm 22 in. dia.

40.00 Set of. Sec. post, from which
an Elm 12 in. dia. bears N 64° E 3 lbs. dist. &
a Beech 18 " " " S 83° W 21 " "

58.62 a Hickory 18 " "

80.00 Set post cor. to Sec. 9, 10, 15 & 16, from which
a Beech 8 in. dia. bears N 78° E 3 lbs. dist. &
a No. 18 " " " S 42° W 21 " "
Level 2nd rate land timber - &c. Same as
on the few last mile -

East On Brandon between Sec. 10 & 15

40.00 Set temp. of. Sec. post.

80.73 Intersected the N. & S. line 70 lbs. N. of post.
Land 2nd rate level - timber Beech, Ash,
Sugar, Lym, Elm, W. Oak, Hickory Red Oak &c.
undergrowth Spice &c.

West Corrected between Sec. 10 & 15

23.03 a Gray Ash 32 in. dia.

40.36 Set of. Sec. post, at average dist. from which

375

S.W. Sec. 9 E. 2nd Mer. Indiana

ch. 1/4
 an Elm 30 in. dia. bears S 52 W 10 lks. dist. &
 a Beech 16 " " " N 12 W 28 " "
 61.07 a Red Oak 44 " "
 80.73 to Section Corner

North Between Secs. 9 & 10

25.05 a Sugar 17 in. dia.

40.00 Set q. Sec. post, from which
 a Beech 16 in. dia. bears S 27 E 4 lks. dist. &
 a No. 11 " " " N 46 W 12 " "

54.65 a Beech 24 " "

80.00 Set post Cor. to Secs. 3, 4, 9 & 10, from which
 a Beech 19 in. dia. bears N 12 E 10 lks. dist. &
 a No. 15 " " " S 70 W 12 " "

Level 2nd rate Land timber &c. Same as
 on the last mile -

East On Random between Secs. 3 & 10

40.00 Set temp. q. Sec. post

80.50 Intersected the S. & S. line 9 1/2 lks. S. of post
 Level 2nd rate land, timber &c. Same as on last mile

West Corried between Secs. 3 & 10

20.15 a Beech 20 in. dia.

40.25 Set q. Sec. post at average dist. from which
 a Beech 13 in. dia. bears N 57 W 27 lks. dist. &
 a No. 14 " " " S 24 E 14 " "

57.18 a Gray Ash 36 " "

80.50 to Sec. Corner.

North Between Secs. 3 & 4

21.00 a Beech 23 in. dia.

40.00 Set q. Sec. post, from which
 a Beech 13 in. dia. bears N 62 W 12 lks. dist. &
 a No. 13 " " " S 55 E 12 " "

62.00 a Poplar 12 " "

376 West R9E. 2^d. Mer. Indiana

ch² 1/4
73.66 Intersected N. boundary, Set post at the intersection Cor. to Sec. 3 & 4 from which
a Beech 17 in. dia. bears N 45 E 30 lks. dist. &
a do. 7 " " " N 47 W 28 " "
Level 2nd rate land, timber Ash, Beech, W. Oak,
Hickory, Poplar, Elm, Sugar &c. among Spruce
Ash, Hornbeam, Ironwood, Dogwood &c
August 17th. 1890

North Between Sec. 32 & 33

21.05 a Sugar 17 in. dia.

40.00 Set of. Sec. post. from which
an Ironwood 6 in. dia. bears N 36 E 16 lks. dist. &
a do. 5 " " " S 59 W 11 " "

47.00 a dry brook 6 lks. wide Course S. E.

28.77 a Beech 20 in. dia.

80.00 Set post Corner to Sec. 28, 29, 32 & 33, from which
a Gray Ash 24 in. dia. bears N 39 W 21 lks. dist. &
a Buckeye 16 " " " S 57 E 26 " "
Level 1st and 2nd rate Land timber &c. Same
as on the last mile -

East On Prandon between Sec. 28 & 33.

21.90 a stream 30 lks. wide Course S.

22.50 a Bayou 10. " " " S.

25.00 Enter a Marsh

34.50 leave the Marsh & Enter timber Land

40.00 Set temp. of. Sec. post.

80.57 Intersected the N. & S. line 53 lks. N. of post
Land timber &c. Same as on the last mile

West Connected between Sec. 28 & 33

21.32 a Beech 15 in. dia.

40.28 Set of. Sec. post. at average dist. from which
a B. Ash 20 in. dia. bears S 50 W 5 lks. dist. &
a Sugar 12 " " " N 53 E 9 " "

377

S. 16 N. 19 E. 2nd. Mer. Indiana

Ch. Lk.

- 60.57 a Sugar 19 in. dia.
80.57 to Section Corner

North Between Secs. 28 & 29

- 9.65 a Stream 35 lks. wide Course S.E.
12.25 a Bayou 20 " " "
26.85 a Dogwood 7 in. dia.
30.20 a Marsh on funny Land -
31.50 leave the Marsh and Enter timber Land
38.20 Enter Marsh
40.00 Set of. Sec. post. from which (this post is in Marsh)
a B. Oak 16 in. dia. bears S 64 E 57 lks. dist. &
(and no other tree near-)
52.00 leave the Marsh and Enter timber Land -
63.45 a B. Ash 18 in. dia.
80.00 Set post Corner to Secs. 20, 21, 28 & 29. from which
a Beech 38 in. dia. bears N 53 E 24 lks. dist. &
a Sugar 20 " " " S 25 N 27 " "
Land part level & part Broken 2nd. rate Land
timber &c. Same as last mile

East On Brandon between Secs. 21 & 28

- 40.00 Set temp. of. Sec. post.
80.21 Intersected the N. & S. line 6 lks. N. of post.
Rolling rich 2nd. rate land timber Beech, Ash,
Walnut, Sugar, Elm, Red Oak, W. Oak &c. undergrowth.
Spice Ash &c.

West Connected between Secs. 21 & 28.

- 11.65 a Hickory 24 in. dia.
40.10 Set of. Sec. post. at average dist. from which
an Ash 6 in. dia. bears S 38 E 4 lks. dist. &
a W. Oak 36 " " " N 20 W 19 " "
56.68 an Elm 23 " "
80.21 to Section Corner

Ch. Lk.

North Between Sec. 20 & 21.

17.50 Enter a Marsh

23.74 a Sugar tree 18 in. dia. in edge of Marsh

40.00 Set q. Sec. post, from which
a Hickory 20 in. dia. bears N 39° E 7 lks. dist. &
a Gray Ash 18 " " " S 54° W 18 " "

58.52 a Beech 16 " "

80.00 Set post Cor. to Sec. 16 17. 20 & 21, from which
a Beech 22 in dia. bears N 40° E 7 lks. dist. &
a Sugar 7 " " " S 73° W 8 " "
Rolling 2nd rate Land timber &c. Same as the
last previous Miles—

East On Prandom between Sec. 16 & 21.

19.00 a Pond 100 lks. wide at right angles

40.00 Set temp. q. Sec. post.

80.00 Intersected the N. & S. line 4 lks. N. of post.
Level 2nd rate Land timber Beech, Ash, Elm,
Sugar B. Oak W. Oak &c. undergrowth Spice &c.
August 18th 1820.

West Corrected between Sec. 16 & 21.

18.85 a Beech 24 in. dia.

40.00 Set q. Sec. post, at average dist. from which
a Beech 14 in. dia. bears N 39° W 17 lks. dist. &
a No. 4 " " " South 18 " "

61.03 a Beech 22 " "

80.00 to Section Corner

North Between Sec. 16 & 17.

00.80 a Brook 10 lks. wide course N. S. W.

19.45 a Beech 19 in. dia.

40.00 Set q. Sec. post, from which
a Beech 14 in. dia. bears N 9° E 11 lks. dist. &
a No. 22 " " " N 80° W 26 " "

60.50 a Gray Ash 28 " "

379

West 129 E. 2nd Mer. Indiana

ch. lky
80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 7 in. dia. bears S 82° W 27 lks. dist. &
a Do. 5 " " " S 45° E 10 "
Level 2nd rate Land timber Beech Ash Hickory
Sugar Elm R. & W. Oak &c. undergrowth. Spice &c.

East On Pradom between Sec. 9 & 16
28.60 the Channel of a brook 10 lks. wide course S. W.
40.00 Set temp. q. Sec. post.
79.76 Intersected the N. & S. line 8 lks. S. of post.
Level 2nd rate land timber & undergrowth -
Same as last mile

West Corrected between Sec. 9 & 16
30.87 a Beech 24 in. dia.
39.88 Set q. Sec. post. at average dist. from which
an Elm 12 in. dia. bears N 56° W 11 lks. dist. &
a Do. 11 " " " N 61° E 16 " "
57.94 a Beech 24 " "
79.76 to Sec. Corner

North Between Sec. 8 & 9
24.28 a Hickory 20 in. dia.
40.00 Set q. Sec. post. from which
a Cherry 24 in. dia. bears N 20° E 13 lks. dist. &
a Beech 24 " " " N 79° W 19 " "
62.84 a Poplar 24 " "
80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Sugar 8 in. dia. bears S 57° E 11 lks. dist. &
a Beech 20 " " " S 72° W 44 "
Land level 2nd rate, timber Beech, Ash, Sugar
Elm, Hickory, Poplar, Cherry &c. undergrowth
Spice, Hornbeam &c.

East Rand. between Sec. 4 & 9
40.00 Set temp. q. Sec. post

West Rge. 2nd Mer. Indiana

ch²th

79.67 Intersected the N of S line 14th N. of post
Land timber &c. Same as on last mile

West Connected between Secs. 4 & 9

21.45 at Beech 12 mi. dist.

39.83 at gr. Sec. post at average dist. from which
at Beech 13 mi. dist. by N 42 E 21th dist. of
a Do. 18 " " " N 23 W 21 " "

58.84 at Beech 14 " "

79.67 to Sec. Corner

North Between Secs. 4 & 5

25.00 at Burr Oak 20 mi. dist.

25.20 a Stream 15th wide corner S. W.

40.00 at gr. Sec. post, from which
an Ironwood 4 mi. dist. by N 15 E 6th dist. of
at Beech 6 " " " N 82 W 28 " "

58.47 a Poplar 36 " "

74.56 Intersected N. Boundary, at post at the
Intersection Cor. to Secs. 4 & 5, from which
at Beech 17 mi. dist. by N 43 E 7th dist. of
a Do. 32 " " " N 57 W 28 " "
Land timber &c. Same as on the last mile
August 19th 1830

North Between Secs. 31 & 32

9.60 Channel of a Brook corner S. W.

23.00 at Beech 20 mi. dist.

44.00 at gr. Sec. post, from which
at Beech 3 mi. dist. by N 49 W 4th dist. of
a Hickory 4 " " " N 35 E 8 " "

67.85 a Hickory 26 " "

80.00 at post cor. to Secs. 29, 31, 31 & 32, from which
at Beech 17 mi. dist. by N 54 W 27th dist. of
a Do. 20 " " " N 57 E 30 " "
Land timber &c. Same as on the last mile

West Sec. 29 E. 2nd Mer. Indiana 381

ch² M²

East On Rand^m between Sec. 29 & 32

40.00 Set stump of Sec. post

81.23 Intersected the S. line 17 lks. S. of post

Land timber &c. Same as on the last mile

West Connected between Sec. 29 & 32

17.47 a W. Oak 22 mi. dist.

40.61 Set of Sec. post at average dist. from which
a Sugar 18 mi. dist. bear N 43° W 27 lks. dist. of
an Elm 15 " " " N 69° W 7 " "

61.95 a Sugar 14 " "

81.23 to Sec. Corner

West Between Sec. 30 & 31

19.10 a Beech 36 mi. dist.

22.50 the channel of a Brook 12 lks. wide C. S.

40.00 Set of Sec. post, from which
a Sugar 12 mi. dist. bear N 48° W 21 lks. dist. of
an Elm 5 " " " N 66° E 7 " "

59.87 a Beech 14 " "

73.43 Intersected W. boundary 19 1/2 lks. S. of post
Set post cor. to Sec. 30 & 31, from which
a Hickory 18 mi. dist. bear N 64° E 29 lks. dist. of
a Beech 10 " " " N 43° E 25 " "
Land timber &c. Same as on last mile

North Between Sec. 29 & 30

26.62 a Hickory 24 mi. dist.

40.00 Set of Sec. post, from which
a Sugar 10 mi. dist. bear N 44° W 10 lks. dist. of
a Do. 20 " " " N 87° E 7 " "

48.80 a Brook 10 lks. wide Course N. S. W.

56.73 a Sugar 19 mi. dist.

80.00 Set post cor. to Sec. 19, 20, 29 & 30, from which
a Beech 24 mi. dist. bear N 37° E 19 lks. dist. of
a Do. 20 " " " N 48° W 31 " "

West N 9 E. 2^d Mer. Indiana

ch. 6th

Level 2^d rate, timber Beech, Ash, Walnut
 W. Oak, Sugar, Elm, Hickory &c. and dry^{er}.
 Spruce, Ash, Blackhaw, Ironwood &c.

East On Rand^m. between Sec. 20 & 29

40.00 At turnpy. gr. Sec. post

69.15 a stream 20th wide of S. S. E.81.48 Intersected the N of S. line 36th. At off post
 Part level & part broken 2^d rate land, timber
 Same as on last mile

West Corrected between Sec. 20 & 29

34.53 a W. Oak 22^m dist.40.74 At gr. Sec. post at average, dist. from which
 a Beech 18 m. dist. by a N 28 W 27th dist. of
 a Do. 22 " " " S 27 E 25 " "

51.60 a Bur Oak 19 " "

81.48 to Sec. Corner.

West Between Sec. 19 & 30

25.62 a Beech 18 m. dist.

40.00 At gr. Sec. post, from which
 a Beech 26 m. dist. by a S 67 E 5th dist. of
 a Do. 15 " " " S 47 W 28 " "

56.06 a Sugar tree 14 " "

65.00 cut the N. Margin of a road

73.56 Intersected the N. Boundary 334th S. of post
 At post Conto Sec. 19 & 30, from which
 a Sugar 18 m. dist. by a N 79 E 14th dist. of
 a Beech 28 " " " S 25 E 25 " "
 Level 2^d rate land timber as before
 August 21st 1828

North Between Sec. 19 & 20

18.63 a Beech 16 m. dist.

40.00 At gr. Sec. post, from which

384 West Rge. 2nd Mer. Indiana

ch. lhy

North Between Sec. 17 & 18

27.50 a Sugar 15 mi. dist.

40.00 at gr. Sec. post, from which

a Beech 10 mi. dist. bearing N 59 E 26 lhy. dist. of

a Do. 34 " " " N 23 W 14 " "

57.05 a P. Ash 22 " "

80.00 at post Cor. to Sec. 7, 8, 17 & 18, from which

a Beech 14 mi. dist. bearing S 70 E 5 lhy. dist. of

a P. Ash 14 " " " N 8 W 32 " "

Sand timber &c. Same as on last mile

East On Randm. between Sec. 8 & 17

32.56 a stream 20 lhy. wide Course S. S. E.

40.00 at temp. gr. Sec. post

80.95 Intersected the N & S. line 63 lhy. N. of post

Post level of part rolling 2nd rate land, timber

Same as on the last mile

West Connected between Sec. 8 & 17

17.65 a Beech 24 mi. dist.

40.47 at gr. Sec. post at average dist. from which

a Sugar 12 mi. dist. bearing S 32 W 19 lhy. dist. of

a Beech 24 " " " N 10 W 15 " "

64.13 a Do 32 " "

80.95 to Sec. Corner

West Between Sec. 7 & 18,

19.95 a P. Ash 22 mi. dist.

40.00 at gr. Sec. post, from which

an Elm 17 mi. dist. bearing S 52 W 27 lhy. dist. of

a Beech 5 " " " N 42 E 25 " "

49.45 a Lyrn 14 " "

72.92 Intersected N. boundary 465 lhy. S. of post

at post Cor. to Sec. 7 & 18, from which

a Beech 12 mi. dist. bearing S 39 E 13 lhy. dist. of

a Do. 6 " " " N 75 E 10 " "

West N 9 E. 2nd Mer. Indiana 385
 ch. lth
 Land level (not 2nd rate), timber, Beech, Ash, Elm,
 Bur Oak, Sugar, Lym etc., undugth, Spruce, ash
 Ironwood, Hornbeam etc. Aug. 22nd 1820

North Between Secs. 7 & 8

19.38 a Beech 14 in. diam.

40.00 Set of Sec. post, from which
 a Beech 15 in. diam. bearing N 29 W 43 lth. dist. of
 a do. 22 " " " N 86 E 28 " "

59.73 a Shellbark Hickory 17 in. diam.

80.00 Set post, Cor. to Secs. 5, 6, 7 & 8, from which
 a B. Ash 22 in. diam. bearing N 23 W 21 lth. dist. of
 a do. 22 " " " S 35 E 29 " "

Level 2nd rate land, timber B & Gray Ash, Beech
 Elm, Lym, Bur Oak, Hickory &c. undugth
 Spruce, ash, Hornbeam, Ironwood, Pampaw &c.

East Out Landm. between Secs. 5 & 8

35.50 a stream 10 lth. wide Course S. S. E.

40.00 Set temp. of Sec. post

40.70 a stream 25 lth. wide Course S.

80.70 Intersect the N of S. line 63 lth. N. of post
 Land rolling 2nd rate, timber Beech, Ash, Elm,
 W. C. Oak, W. Oak, Sugar, Hickory, Poplar &c.
 undugth. Spruce ash, Ironwood

West Corrected between Secs. 5 & 8

20.15 a Poplar 22 in. diam.

40.35 Set of Sec. post at average dist. from which
 a Beech 15 in. diam. bearing N 35 W 9 lth. dist. of
 a do 17 " " " S 37 E 23 " "

61.24 a Beech 16 " "

80.70 to Sec. Corner.

West Between Secs. 6 & 7

20.56 a Poplar 28 in. diam.

West 129 E. 2^d Mer. Indiana

ch. 2^{ly}
 40.00 Set q^r. Sec. post, from which
 at Beech 5 in. dia. bray S 35 W 2^{ly} dist. of
 a Hornbeam 4 " " " N 7 W 6 " "
 59.30 a Hickory 23 " "
 73.15 Intersected N. boundary 670^{ly} S. of post
 Set post Cor. to Sec. 5 & 6, from which
 at Beech 12 in. dia. bray S 73 E 19^{ly} dist. of
 a Buckeye 10 " " " N 33 E 16 " "
 Level 2^d. rate land, timber Beech, Elm, W. Oak
 ash, Elm, Walnut, Buckeye, Sugar, Red Oak &c
 undergrowth Spice, Pickley Ash, Ironwood,
 Black Haw &c.

North Between Sec. 5 & 6, S 16 N 129 E,
 18.74 at Beech 12 in. dia.
 40.00 Set q^r. Sec. post, from which
 at Beech 18 in. dia. bray N 28 W 7^{ly} dist. of
 a Do. 16 " " " N 59 E 18 " "
 56.75 a P. Ash 18 " "
 74.23 Intersected the N. boundary, Set post at the
 intersection Cor. to Sec. 5 & 6, from which
 at Beech 16 in. dia. bray S 23 W 3^{ly} dist. of
 a Do. 13 " " " S 35 E 32 " "
 Land level 2^d. rate, timber Beech, Ash, Elm
 Poplar, W. Red Oak, Sugar &c. underg.
 Spice, Ash, Dogwood, Black Haw, Horn-
 beam &c. August 23^d 1820
 Thomas Brown,
 Deputy Surveyor

conf.

I certify that the foregoing transcript of field notes of
Township N. 16 N. Range N. 9 East 2^d Mer. Indiana,
has been compared with the original notes in this office,
and found to be correct.
Surveyor General's Office
Cincinnati, Nov. 14. 1843

William Johnston
Sur. Genl.